02910.000094.

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

いか

| In re Patent of: |) | Examiner: John | n I. Goodmayy |
|--|------------------|----------------|-------------------------------|
| SATOSHI MATSUNAGA ET AL. |) | Art Unit: 1756 | |
| Appln. No.: 10/680,102 |) | Alt Ollt. 1730 | |
| Filed: October 8, 2003 | ;) · | | Certificate |
| For: TONER, METHOD FOR FORMING A FULL-COLOR IMAGE, AND PROCESS CARTRIDGE | ·) ;) | | MAY 3 1 2007 of Correction |
| U.S. Patent No.: 7,090,951 B2 |) | | |
| Issued: August 15, 2006 |) | May 23, 2007 | |
| | | | |

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

LETTER CALLING ATTENTION TO ERRORS IN PATENT

Sir:

The following minor errors have been noted in the above-mentioned patent:

ON THE TITLE PAGE [56] REFERENCES CITED:

Foreign Patent Documents,

"JP 01-75305 3/2001 should read --JP 2001-75305 3/2001 JP 02-14488 1/2002 JP 2002-14489 1/2002 JP 02-40712 2/2002" JP 2002-40712 2/2002--.

COLUMN 4:

Line 40, "Additionally, is" should read --Additionally, mold release load is--.

COLUMN 8:

Line 21, "has" should read --have--;

Line 28, "followings." should read --following.--;

Line 56, "the resins one another" should read -- the other resin--; and

Line 63, "include" (second occurrence) should read --which includes--.

COLUMN 9:

Line 45, "invention." should read --invention is described.--;

Line 51, "removed" should read --removed from--; and

Line 54, "dissolved/swollen" should read --dissolved/swollen in--.

COLUMN 15:

Line 55, "rate" should read --rate of--.

COLUMN 23:

Line 10, "disposed" should read --disposing--.

COLUMN 34:

Line 6, "materials is" should read --materials are--.

COLUMN 40:

Line 21, "the to R₂₀₀" should read --the R₂₀₀--;

Line 24, " $(R_{501} R_{200})$ " should read -- (R_{500}/R_{200}) --; and

Line 47, "images" should read --image,--.

These errors appear to be relatively insignificant and, therefore, we do not believe it is necessary to request a Certificate of Correction. However, it is requested that this paper be placed in the filewrapper of the above-identified patent.

Patentees' undersigned attorney may be reached in our New York office by telephone at (212) 218-2100. All correspondence should continue to be directed to our address given below.

Respectfully submitted,

Peter Saxon

Attorney for Patentees Registration No. 24,947

FITZPATRICK, CELLA, HARPER & SCINTO 30 Rockefeller Plaza
New York, New York 10112-3801
Facsimile: (212) 218-2200

NY Main 635198v1